

# S.B.C.

A1-Special cleaner



## The benefits at a glance

- ✓ NSF-A1 registered
- ✓ Reliable degreasing e.g. before a gluing process
- ✓ Highly effective combination of active substances
- ✓ Rapid evaporation without residues
- ✓ Multifunctional in use



## Property

**Rivolta S.B.C.** is a cleaner which evaporates very fast without any residues. It is perfectly suitable for a rapid and complete cleaning/degreasing of shiny metal and steel items. The product is based on a combination of highly effective substances which can remove different residues and contaminations each. Thus **S.B.C.** can be used for a multitude of diverse applications.

Its evaporation speed and the spray rate are well coordinated with the necessary exposure time respectively the quantity of product. This means **S.B.C.** enables an exact dosing and thus an economical mode of processing.

**S.B.C.** is NSF-A1 registered and suitable for cleaning processes within the production areas of the food, beverage and pharmaceutical industry.

Because of the NSF-registration and its good cleaning performance **S.B.C.** offers a very broad spectrum of possible applications.

## Fields of Application

**Rivolta S.B.C.** is especially suitable for the cleaning/degreasing of metallic machine parts e.g. gear boxes, bearings and guides. Our product excels in an extremely good ability to dissolve oily and greasy dirt as well as residues of glues and sealants from shiny metallic surfaces.

**S.B.C.** is exclusively available in a 500 ml spray can.

## Material compatibility

Some plastics and lacquers can eventually be etched by **Rivolta S.B.C.** We therefore recommend to test the applicability of the cleaner before use.

## Instructions for use

Please spray **Rivolta S.B.C.** onto the contamination, if required let it react for a short time and subsequently remove the contaminations. A potable water rinse of cleaned surfaces is required after use of this product.

<b>Form</b>	liquid
<b>Colour</b>	transparent
<b>Odour</b>	characteristic



**Available in:**  
500ml spray can (12 pcs.)

	Value	Norm
<b>NSF Reg.-No.</b>	148298	-
<b>Density at +20 °C</b>	0,82 g/ml	DIN 51757
<b>Evaporation</b>	without any residues	-
<b>Evaporation rate</b>	15	-
<b>Hazard class</b>	combustible	-